

**Table I - Automotive Refinish Rule VOC Limits in LBS/GAL \*\*\***

Category	National Rule	California													OTC	Greater Chicago	Greater Vancouver	Texas	Arizona
		Kern	Antelope	Butte	EI Dorado	Feather River	Glenn	Imperial	Mojave Desert	Placer	Sacramento	San Diego	Shasta	Tehama					
Surface Cleaners****		1.70	0.43	1.67/6.5**	0.6/6.5**	1.67/6.5**	0.6/6.5**	1.67	1.67	0.6/6.5**	0.6/6.5**	1.67	1.67/6.5**	1.67/6.5**			1.75/6.5	1.4	1.4
Pretreatment Wash Primers	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5
Precoat	NA	NA	NA	NA	5.0	NA	6.5	NA	NA	5.0	5.0	5.0	NA	NA	NA	NA	6.5	5.5	NA
Primer Surfacer	4.8	2.1	2.1	2.8	2.1	2.8	2.8	3.5	2.1	2.1	2.1	3.5	2.8	2.8	4.8	4.8	4.8	4.8	4.8
Primer Sealer	4.6	3.5	2.8	3.5	3.5	3.5	2.8	3.5	2.8	3.5	3.5	3.5	3.5	3.5	4.6	4.6	4.6	4.6	4.6
Single Stage Topcoats	5.0	3.5	3.5	5.0	3.5	5.0	5.0	3.5	3.5	3.5	3.5	3.5	5.0	5.0	5.0	5.0	5.0	5.0	5.0
2 Stage Topcoats	5.0	4.5	3.5	5.0	4.5	5.0	5.0	4.5	3.5	4.5	4.5	4.5	5.0	5.0	5.0	5.0	5.0	5.0	5.0
Topcoats of more then 2 Stages	5.2	4.5	3.5	5.0	4.5	5.0	5.0	4.5	3.5	4.5	4.5	4.5	5.0	5.0	5.2	5.2	5.2	5.2	5.2
Multi-colored Topcoats	5.7	4.5	3.5	5.0	4.5	5.0	5.0	5.7	3.5	4.5	4.5	4.0	5.0	5.0	5.7	5.7	NA	NA	5.7
Specialty Coatings	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0

\*\* 6.5 Lbs/Gal is for the Cleaning of Plastic Parts Only  
 \*\*\* Limits are As Applied less Exempt Solvents  
 \*\*\*\* Limits are As Applied Total

Surface Cleaners - A volatile organic compound containing material applied to the surface of any substrate prior to any finishing or refinishing coating application or to remove any overspray.

Pretreatment Wash Primers - Any coating which contains a minimum of 0.5% acid by weight, is necessary to provide surface etching and is applied directly to bare metal surfaces to provide corrosion resistance and adhesion.

Precoat - Any coating that dries by oxidation or chemical polymerization excluding lacquer products which is applied to bare metal primarily to deactivate the metal surface prior to application of a primer surfacer

Primer Surfacer - A high solids coating which fills small imperfections in the substrate and which usually must be sanded.

Primer Sealer - An undercoating which improves adhesion of the topcoat and which seals the previous coated surfaces that have been sanded.

Topcoat - Any coating applied over a primer, primer system, or an original OEM finish for the purpose of protection or appearance.

Specialty Coatings - Unique coatings and compliant coatings with additives which are necessary due to unusual job performance requirements. Said coatings include but are not limited to, adhesion promoters, uniform finish blenders, elastomeric materials, gloss flatners, bright metal trim repair, and anti-glare safety coatings.

Texas rule is applicable to Beaumont/Port Arthur, Dallas/Fort Worth, El Paso, and Houston/Galveston areas as defined in §115.10 of TAC

Arizona Rule is applicable to Maricopa County only